

XLINE



Liyu International Factory
No.33,TianZhi Road,High and New tech.Development
Area Hefei Anhui China 230088
www.liyuprinter.com

Liyu International Europe Showroom
Susuz Mahallesi Dempa Sanayi Sitesi 3793.
Cadde No: 34, 06105 Yenimahalle/Ankara/Turkey
www.cmykreklam.com


"All technical details in this catalog are subject to change by Liyu"

Liyu International Europe Showroom
Diessemer Bruch 100 b-c, 47805 Krefeld, Germany
www.liyuprinter.com
+49 173 3721905

Xline KC UV FLAT



DESIGN
NEW
VISION



RICOH



Technical Specifications

Print Heads	Ricoh Gen5/Gen6
Printhead Quantity	10 (Max.)
Drop Volume	Gen5 - 7 Pl. / Gen6 - 5 Pl.
Color Scale	CMYK + White + Lc + Lm + Varnish
INK Type	UV - LED
Drying System	LED
Table Size	2500 mm x 1250 mm / 3050 mm x 2050 mm
Print Height	100 mm
Print Resolution	2400 dpi
Printing Speed Up to	68m ² /h
Rip Software	PhotoPrint / Caldera (Opt.)
Power Requirement	230v (+/-) 10% 40A / 50HZ
Machine Size 2512	2200 mm x 5220 mm x 1530 mm
Machine Size 3020	3000 mm x 5800 mm x 1530 mm
Machine Weight	1370 - 2500 kg.